## **Alabama Coordinated Health Networks Baselines**

Measure   Region   2013 - 2017   2018   2020   2021   2022   2023   2024   2026   Measure   Mentmark   Mentmark   Mentmark   Mentmark   Mentmark   Measure   Measure	Measure	Region	Baseline 2013 -2017	Baseline 2018	Annu	al Impro	vement	Targets		National Benchmark	Annual
Central   60.3   N/A   60.6   60.9   61.2   61.5   61.8   Median   0.30					2020	2021	2022	2023			•
Fear   62.9		Central	60.3	N/A	60.6	60.9	61.2	61.5		Median	
Mell-Child Visits in the First 15   Mortheast   61.7   N/A   61.7   61.7   61.8   61.8   61.8   Median   0.02		East	62.9							Median	-0.22
Months of Life   Northeast   53.7   N/A   51.7   61.8   61.8   61.8   Median   0.02		Jefferson / Shelby			52.6	54.9	57.2	59.5	61.8		
Northwest   53.2   N/A   54.9   56.6   58.4   60.1   61.8   Median   1.72		Northeast	61.7	N/A	61.7	61.7	61.8	61.8	61.8	Median	0.02
Southwest   53.1	wionths of Life	Northwest	53.2	N/A	54.9	56.6	58.4	60.1	61.8	Median	1.72
Statewide Avg   57.8		Southeast	64.2	N/A	61.8	61.8	61.8	61.8	61.8	Median	-0.48
Central   22.8   N/A   33.5   44.2   55.0   65.7   76.4   Median   10.72		Southwest	53.1	N/A	54.8	56.6	58.3	60.1	61.8	Median	1.74
East   28.8   N/A   38.3   47.8   57.4   66.9   76.4   Median   9.52		Statewide Avg	57.8	N/A	58.6	59.4	60.2	61.0	61.8	Median	0.80
Iefferson / Shelby   30.9   N/A   40.0   49.1   58.2   67.3   76.4   Median   9.10		Central	22.8	N/A	33.5	44.2	55.0	65.7	76.4	Median	10.72
Adult BMI Assessment    Northeast   28.4   N/A   38.0   47.6   57.2   66.8   76.4   Median   9.60		East	28.8	N/A	38.3	47.8	57.4	66.9	76.4	Median	9.52
Northwest   28.9   N/A   38.4   47.9   57.4   66.9   76.4   Median   9.50		Jefferson / Shelby	30.9	N/A	40.0	49.1	58.2	67.3	76.4	Median	9.10
Southeast   38.8   N/A   46.3   53.8   61.4   68.9   76.4   Median   7.52	Adult BMI Assessment	Northeast	28.4	N/A	38.0	47.6	57.2	66.8	76.4	Median	9.60
Southeast   38.8   N/A   46.3   53.8   61.4   68.9   76.4   Median   7.52		Northwest			38.4	47.9	57.4	66.9	76.4	Median	
Statewide Avg   28.4   N/A   38.0   47.6   57.2   66.8   76.4   Median   9.60		Southeast	38.8	N/A	46.3	53.8	61.4	68.9	76.4	Median	7.52
Statewide Avg   28.4   N/A   38.0   47.6   57.2   66.8   76.4   Median   9.60				-	32.9	43.8	54.6	65.5	76.4	Median	10.88
Central   6.5   N/A   17.4   28.3   39.2   50.1   61.0   Median   10.90		Statewide Avg	28.4	N/A	38.0	47.6	57.2	66.8	76.4	Median	9.60
East   6.7   N/A   17.6   28.4   39.3   50.1   61.0   Median   10.86     Jefferson / Shelby   8.6   N/A   19.1   29.6   40.0   50.5   61.0   Median   10.48     Northeast   12.1   N/A   21.9   31.7   41.4   51.2   61.0   Median   9.78     Northwest   4.4   N/A   15.7   27.0   38.4   49.7   61.0   Median   9.58     Southeast   13.3   N/A   22.8   32.4   41.9   51.5   61.0   Median   9.54     Southwest   5.8   N/A   16.8   27.9   38.9   50.0   61.0   Median   11.04     Statewide Avg   8.2   N/A   18.8   29.3   39.9   50.4   61.0   Median   10.56     Central   43.4   N/A   44.3   45.2   46.2   47.1   48.0   25th %ile   0.92     East   37.1   N/A   39.3   41.5   43.6   45.8   48.0   25th %ile   2.18     Jefferson / Shelby   39.1   N/A   40.9   42.7   44.4   46.2   48.0   25th %ile   2.36     Northwest   36.2   N/A   38.6   40.9   43.3   45.6   48.0   25th %ile   2.36     Southeast   40.5   N/A   42.9   44.2   45.4   46.7   48.0   25th %ile   1.70     Southwest   41.6   N/A   42.9   44.2   45.4   46.7   48.0   25th %ile   1.28     Statewide Avg   39.5   N/A   41.2   42.9   44.6   46.3   48.0   25th %ile   1.28     Statewide Avg   39.5   N/A   41.2   42.9   44.6   46.3   48.0   25th %ile   1.70     Central   85.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -2.16     East   82.6   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.64     Asthma Medication Ratio (Child)   Northeast   79.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.58     Northwest   77.3   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.58     Southeast   83.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.58     Southeast   83.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -1.76     Southwest   70.9   N/A   71.6   72.3   73.0   73.7   74.4   75th %ile   -1.76     Southwest   70.9   N/A   71.6   72.3   73.0   73.7   74.4   75th %ile   -1.76     Southwest   70.9   N/A   71.6   72.3   73.0   73.7   74.4   75th %ile   -1.76     Southwest   70.9   N/A   71.6   72.3   73.0   73.7   74.4   74.4   7					17.4	28.3	39.2	50.1	61.0		
Child BMI Assessment		East			17.6	28.4		50.1	61.0	Median	
Northwest   4.4   N/A   15.7   27.0   38.4   49.7   61.0   Median   11.32		Jefferson / Shelby	8.6		19.1	29.6	40.0	50.5	61.0	Median	10.48
Southeast   13.3   N/A   22.8   32.4   41.9   51.5   61.0   Median   9.54	Child BMI Assessment	Northeast	12.1	N/A	21.9	31.7	41.4	51.2	61.0	Median	9.78
Southeast   13.3   N/A   22.8   32.4   41.9   51.5   61.0   Median   9.54		Northwest	4.4		15.7	27.0	38.4	49.7	61.0	Median	11.32
Statewide Avg   8.2   N/A   18.8   29.3   39.9   50.4   61.0   Median   10.56		Southeast	13.3	N/A	22.8	32.4	41.9	51.5	61.0	Median	9.54
Central   43.4   N/A   44.3   45.2   46.2   47.1   48.0   25th %ile   0.92		Southwest	5.8	N/A	16.8	27.9	38.9	50.0	61.0	Median	11.04
Central   43.4   N/A   44.3   45.2   46.2   47.1   48.0   25th %ile   0.92		Statewide Avg	8.2	N/A	18.8	29.3	39.9	50.4	61.0	Median	10.56
East   37.1   N/A   39.3   41.5   43.6   45.8   48.0   25th %ile   2.18			43.4	-	44.3	45.2	46.2	47.1	48.0	25th %ile	0.92
Northeast   33.7   N/A   36.6   39.4   42.3   45.1   48.0   25th %ile   2.86		East	37.1		39.3	41.5	43.6	45.8	48.0	25th %ile	2.18
Northwest   36.2   N/A   38.6   40.9   43.3   45.6   48.0   25th %ile   2.36		Jefferson / Shelby	39.1	N/A	40.9	42.7	44.4	46.2	48.0	25th %ile	1.78
Northwest   36.2   N/A   38.6   40.9   43.3   45.6   48.0   25th %ile   2.36	Cervical Cancer Screening	Northeast	33.7	N/A	36.6	39.4	42.3	45.1	48.0	25th %ile	2.86
Southeast         40.5         N/A         42.0         43.5         45.0         46.5         48.0         25th %ile         1.50           Southwest         41.6         N/A         42.9         44.2         45.4         46.7         48.0         25th %ile         1.28           Statewide Avg         39.5         N/A         41.2         42.9         44.6         46.3         48.0         25th %ile         1.70           Central         85.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -2.16           East         82.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.64           Jefferson / Shelby         77.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Asthma Medication Ratio (Child)         Northeast         79.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Northwest         77.3         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.58           Southeast         83.2         N/A         74.4         <		Northwest		-	38.6	40.9	43.3	45.6	48.0		2.36
Southwest         41.6         N/A         42.9         44.2         45.4         46.7         48.0         25th %ile         1.28           Statewide Avg         39.5         N/A         41.2         42.9         44.6         46.3         48.0         25th %ile         1.70           Central         85.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -2.16           East         82.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.64           Jefferson / Shelby         77.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Asthma Medication Ratio (Child)         Northeast         79.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Northwest         77.3         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.58           Southeast         83.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.76           Southwest         70.9         N/A         71.6         72.3<			40.5	N/A	42.0	43.5	45.0	46.5	48.0		1.50
Statewide Avg         39.5         N/A         41.2         42.9         44.6         46.3         48.0         25th %ile         1.70           Central         85.2         N/A         74.4         74.4         74.4         74.4         74.4         75th %ile         -2.16           East         82.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.64           Jefferson / Shelby         77.6         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Asthma Medication Ratio (Child)         Northeast         79.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.64           Northwest         77.3         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.58           Southeast         83.2         N/A         74.4         74.4         74.4         74.4         74.4         75th %ile         -1.76           Southwest         70.9         N/A         71.6         72.3         73.0         73.7         74.4         75th %ile         0.70					42.9	44.2					1.28
Central   85.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -2.16     East   82.6   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -1.64     Jefferson / Shelby   77.6   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.64     Asthma Medication Ratio (Child)   Northeast   79.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.96     Northwest   77.3   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -0.58     Southeast   83.2   N/A   74.4   74.4   74.4   74.4   74.4   75th %ile   -1.76     Southwest   70.9   N/A   71.6   72.3   73.0   73.7   74.4   75th %ile   0.70			39.5	-	41.2	42.9	44.6	46.3	48.0	25th %ile	1.70
East 82.6 N/A 74.4 74.4 74.4 74.4 75th %ile -1.64  Jefferson / Shelby 77.6 N/A 74.4 74.4 74.4 74.4 74.4 75th %ile -0.64  Asthma Medication Ratio (Child) Northeast 79.2 N/A 74.4 74.4 74.4 74.4 74.4 75th %ile -0.96  Northwest 77.3 N/A 74.4 74.4 74.4 74.4 74.4 75th %ile -0.58  Southeast 83.2 N/A 74.4 74.4 74.4 74.4 74.4 75th %ile -1.76  Southwest 70.9 N/A 71.6 72.3 73.0 73.7 74.4 75th %ile 0.70	Asthma Medication Ratio (Child)										-2.16
Asthma Medication Ratio (Child)  Northeast 79.2  N/A  74.4  74.4  74.4  74.4  74.4  74.4  75th %ile  -0.64  Northwest 77.3  N/A  74.4  74.4  74.4  74.4  74.4  74.4  74.4  75th %ile  -0.96  Northwest 77.3  N/A  74.4  74.4  74.4  74.4  74.4  74.4  75th %ile -0.58  Southeast 83.2  N/A  74.4  74.4  74.4  74.4  74.4  74.4  75th %ile -0.58  Southwest 70.9  N/A  71.6  72.3  73.0  73.7  74.4  75th %ile -1.76											
Northwest         77.3         N/A         74.4         74.4         74.4         74.4         75th %ile         -0.58           Southeast         83.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.76           Southwest         70.9         N/A         71.6         72.3         73.0         73.7         74.4         75th %ile         0.70		Jefferson / Shelby					74.4			75th %ile	
Northwest         77.3         N/A         74.4         74.4         74.4         74.4         74.4         75th %ile         -0.58           Southeast         83.2         N/A         74.4         74.4         74.4         74.4         75th %ile         -1.76           Southwest         70.9         N/A         71.6         72.3         73.0         73.7         74.4         75th %ile         0.70		Northeast	79.2	N/A	74.4	74.4	74.4	74.4	74.4	75th %ile	-0.96
Southeast         83.2         N/A         74.4         74.4         74.4         74.4         74.4         75th %ile         -1.76           Southwest         70.9         N/A         71.6         72.3         73.0         73.7         74.4         75th %ile         0.70											
Southwest         70.9         N/A         71.6         72.3         73.0         73.7         74.4         75th %ile         0.70										1	
		Statewide Avg	79.9	N/A	74.4	74.4	74.4	74.4	74.4	75th %ile	-1.10

Measure	Region	Baseline 2013 -2017	Baseline 2018	Annu	al Impro	vement	Targets	Quality Target 2024	National Benchmark	Annual
				2020	2021	2022	2023			Improvement Needed
	Central	58.9	N/A	58.8	58.8	58.8	58.8	58.8	75th %ile	-0.02
	East	56.8	N/A	57.2	57.6	58.0	58.4	58.8	75th %ile	0.40
	Jefferson / Shelby	52	N/A	53.4	54.7	56.1	57.4	58.8	75th %ile	1.36
Asthma Medication Ratio (Adult)	Northeast	57.4	N/A	57.7	58.0	58.2	58.5	58.8	75th %ile	0.28
	Northwest	58.2	N/A	58.3	58.4	58.6	58.7	58.8	75th %ile	0.12
	Southeast	63.2	N/A	58.8	58.8	58.8	58.8	58.8	75th %ile	-0.88
	Southwest	57.4	N/A	57.7	58.0	58.2	58.5	58.8	75th %ile	0.28
	Statewide Avg	57.6	N/A	57.8	58.1	58.3	58.6	58.8	75th %ile	0.24
	Central	24.5	N/A	27.0	29.5	32.1	34.6	37.1	Median	2.52
	East	32.7	N/A	33.6	34.5	35.3	36.2	37.1	Median	0.88
	Jefferson / Shelby	27.4	N/A	29.3	31.3	33.2	35.2	37.1	Median	1.94
Antidepressant Medication	Northeast	36.3	N/A	36.5	36.6	36.8	36.9	37.1	Median	0.16
Management	Northwest	30.9	N/A	32.1	33.4	34.6	35.9	37.1	Median	1.24
	Southeast	28.5	N/A	30.2	31.9	33.7	35.4	37.1	Median	1.72
	Southwest	26.7	N/A	28.8	30.9	32.9	35.0	37.1	Median	2.08
	Statewide Avg	30.1	N/A	31.5	32.9	34.3	35.7	37.1	Median	1.40
	Central	7.9	N/A	8.6	8.6	8.6	8.6	8.6	Median	0.14
	East	8.8	N/A	8.8	8.7	8.7	8.6	8.6	Median	-0.04
	Jefferson / Shelby	10.6	N/A	10.2	9.8	9.4	9.0	8.6	Median	-0.40
Live Births Less Than 2500 grams	Northeast	9.0	N/A	8.9	8.8	8.8	8.7	8.6	Median	-0.08
	Northwest	9.8	N/A	9.6	9.3	9.1	8.8	8.6	Median	-0.24
	Southeast	9.5	N/A	9.3	9.1	8.9	8.7	8.6	Median	-0.18
	Southwest	10.4	N/A	10.0	9.7	9.3	9.0	8.6	Median	-0.36
	Statewide Avg	9.5	N/A	9.3	9.1	9.0	8.8	8.6	Median	-0.18
	Central	96.3	N/A	96.4	96.5	96.7	96.8	96.9	75th %ile	0.12
	East	97.2	N/A	96.9	96.9	96.9	96.9	96.9	75th %ile	-0.06
	Jefferson / Shelby	80.7	N/A	83.9	87.2	90.4	93.7	96.9	75th %ile	3.24
Child Access to Care: 12 - 24  Months	Northeast	95.8	N/A	96.0	96.2	96.5	96.7	96.9	75th %ile	0.22
	Northwest	96.1	N/A	96.3	96.4	96.6	96.7	96.9	75th %ile	0.16
	Southeast	97.1	N/A	96.9	96.9	96.9	96.9	96.9	75th %ile	-0.04
	Southwest	95.3	N/A	95.6	95.9	96.3	96.6	96.9	75th %ile	0.32
	Statewide Avg	93.8	N/A	94.4	95.0	95.7	96.3	96.9	75th %ile	0.62
Child Access to Care: 25 Months - 6 Years	Central	88.5	N/A	88.8	89.0	89.3	89.5	89.8	75th %ile	0.26
	East	91.6	N/A	89.8	89.8	89.8	89.8	89.8	75th %ile	-0.36
	Jefferson / Shelby	72.8	N/A	76.2	79.6	83.0	86.4	89.8	75th %ile	3.40
	Northeast	88.8	N/A	89.0	89.2	89.4	89.6	89.8	75th %ile	0.20
	Northwest	86.6	N/A	86.8	87.0	87.2	87.4	89.8	75th %ile	0.64
	Southeast	91.3	N/A	89.8	89.8	89.8	89.8	89.8	75th %ile	-0.30
	Southwest	85.2	N/A	86.1	87.0	88.0	88.9	89.8	75th %ile	0.92
	Statewide Avg	86.1	N/A	86.8	87.6	88.3	89.1	89.8	75th %ile	0.74

	Region	Baseline 2013 -2017	Baseline 2018	Annu	al Impro	vement	Targets	Quality Target 2024	National Benchmark	Annual
Measure				2020	2021	2022	2023			Improvement Needed
	Central	89.8	N/A	90.5	91.2	92.0	92.7	93.4	75th %ile	0.72
	East	94.4	N/A	93.4	93.4	93.4	93.4	93.4	75th %ile	-0.20
	Jefferson / Shelby	74.9	N/A	78.6	82.3	86.0	89.7	93.4	75th %ile	3.70
Child Access to Care: 7 - 11 Years	Northeast	92.4	N/A	92.6	92.8	93.0	93.2	93.4	75th %ile	0.20
	Northwest	89.9	N/A	90.6	91.3	92.0	92.7	93.4	75th %ile	0.70
	Southeast	94.0	N/A	93.4	93.4	93.4	93.4	93.4	75th %ile	-0.12
	Southwest	88.3	N/A	89.3	90.3	91.4	92.4	93.4	75th %ile	1.02
	Statewide Avg	88.9	N/A	89.8	90.7	91.6	92.5	93.4	75th %ile	0.90
	Central	86.8	N/A	87.8	88.8	89.9	90.9	91.9	75th %ile	1.02
	East	91.3	N/A	91.4	91.5	91.7	91.8	91.9	75th %ile	0.12
	Jefferson / Shelby	73.0	N/A	76.8	80.6	84.3	88.1	91.9	75th %ile	3.78
Child Access to Care: 12 - 19	Northeast	88.9	N/A	89.5	90.1	90.7	91.3	91.9	75th %ile	0.60
Years	Northwest	87.9	N/A	88.7	89.5	90.3	91.1	91.9	75th %ile	0.80
	Southeast	91.5	N/A	91.6	91.7	91.7	91.8	91.9	75th %ile	0.08
	Southwest	87.0	N/A	88.0	89.0	89.9	90.9	91.9	75th %ile	0.98
	Statewide Avg	86.5	N/A	87.6	88.7	89.7	90.8	91.9	75th %ile	1.08
	Central	49.5	N/A	55.4	61.4	67.3	73.3	79.2	Median	5.94
	East	68.1	N/A	70.3	72.5	74.8	77.0	79.2	Median	2.22
	Jefferson / Shelby	62.4	N/A	65.8	69.1	72.5	75.8	79.2	Median	3.36
Prenatal and Postpartum Care:	Northeast	54.1	N/A	59.1	64.1	69.2	74.2	79.2	Median	5.02
Timliness of Prenatal Care	Northwest	62.1	N/A	65.5	68.9	72.4	75.8	79.2	Median	3.42
	Southeast	64.9	N/A	67.8	70.6	73.5	76.3	79.2	Median	2.86
	Southwest	70.9	N/A	72.6	74.2	75.9	77.5	79.2	Median	1.66
	Statewide Avg	58.7	N/A	62.8	66.9	71.0	75.1	79.2	Median	4.10
	Central	N/A	34.4	35.7	37.0	38.4	39.7	41.0	75th %ile	1.32
	East	N/A	33.1	34.7	36.3	37.8	39.4	41.0	75th %ile	1.58
Initiation and Engagement of Treatment for Alcohol and Other Drug (Initiation)	Jefferson / Shelby	N/A	42.8	41.0	41.0	41.0	41.0	41.0	75th %ile	-0.36
	Northeast	N/A	40.2	40.4	40.5	40.7	40.8	41.0	75th %ile	0.16
	Northwest	N/A	43.8	41.0	41.0	41.0	41.0	41.0	75th %ile	-0.56
	Southeast	N/A	39.6	39.9	40.2	40.4	40.7	41.0	75th %ile	0.28
	Southwest	N/A	38.4	38.9	39.4	40.0	40.5	41.0	75th %ile	0.52
	Statewide Avg	N/A	38.8	39.2	39.7	40.1	40.6	41.0	75th %ile	0.44
Initiation and Engagement of Treatment for Alcohol and Other Drug (Continuation)	Central	N/A	3.0	4.5	5.9	7.4	8.8	10.3	25th %ile	1.46
	East	N/A	3.8	5.1	6.4	7.7	9.0	10.3	25th %ile	1.30
	Jefferson / Shelby	N/A	3.5	4.9	6.2	7.6	8.9	10.3	25th %ile	1.36
	Northeast	N/A	5.2	6.2	7.2	8.3	9.3	10.3	25th %ile	1.02
	Northwest	N/A	6.0	6.9	7.7	8.6	9.4	10.3	25th %ile	0.86
	Southeast	N/A	5.6	6.5	7.5	8.4	9.4	10.3	25th %ile	0.94
	Southwest	N/A	3.7	5.0	6.3	7.7	9.0	10.3	25th %ile	1.32
	Statewide Avg	N/A	4.4	5.6	6.8	7.9	9.1	10.3	25th %ile	1.18